

# oscar\_2.premium 1223\_2

## Model Code F5670

date of issue 16-03-23 revision 00  
revision of 31-03-23 (the present replaces any previous versions)



**Designer:** centro studi interno

**Structure:** beechwood, pinewood, multilayer and plywood covered with polyurethane foam.

**Spring system:** elastic webbing

**Seat Padding:** in ecological polyurethane foam, covered with 100% polyester padding, additionally wrapped with thermo-bonded textile fabric coupled with cloth.

**Back Padding:** in ecological polyurethane foam, covered with 100% polyester padding, additionally wrapped with thermo-bonded textile fabric coupled with cloth.

**Arm Interior:** in ecological polyurethane foam, covered with 100% polyester padding, additionally wrapped with thermo-bonded textile fabric coupled with cloth.

**Removability:** partially removable covers: covers on seat cushions, back cushions and armrests are removable

**Mechanisms:** recliner versions available with electric metal mechanism operated by a touch button positioned on seat cushion sides. The maximum depth of the open recliner is 158 cm.

**Standard feet:** matt black painted metal PM2275, h.12 cm. Alternatively, it is possible to choose among the standard or "special" finishes enclosed in the sample book. Some versions may be equipped with hidden feet with a supporting structural function.

### Density of seat and back kg/cbm (±5%) <sup>(1)</sup>

Markets	Seat	Back
I	35 Medium	24
D - NL - CH	35 hard	28 hard
USA - California	35 soft	24 soft
GB	37 fire retardant	31 fire retardant
Others		

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area.

<sup>(1)</sup>Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

### Coverings

	suggested	not suggested	not possible
thick leathers			✓
thin elastic leathers			✓
natural leathers			✓
fabric*	✓		
microfibre*	✓		
leather + split			✓
DeLuxe			✓
multi colour**			✓
multi-category**			✓
multi covering**			✓

Please note: for not removable models, only one colour fabric covers are available.

\* fabrics and microfibers are not available for the U.K. market

### Components / Optional vers.



### Feet



PM2275



### Ottoman



With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg (2x100 kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.







↑ fold following the dotted line ↑




# oscar\_2.premium 1223\_2






L Length - H Height - D Depth - SH Seat Height - SD Seat Depth  
Dimensions refer to maximum sizes of the version with closed mechanism (where available).




dimensions	L 102 H94 D98 SH45 SD59	L 172 H94 D98 SH45 SD59	L 192 H94 D98 SH45 SD59	L 212 H94 D98 SH45 SD59	L 65 H45 D65 SH- SD-
version code	100	200	240	300	540
Description	chair	2 seater	2 1/2 seater	3 seater	ottoman



L 102 H94 D98 SH45 SD59	L 86 H94 D98 SH45 SD59	L 86 H94 D98 SH45 SD59	L 86 H94 D98 SH45 SD59	L 86 H94 D98 SH45 SD59	L 96 H94 D98 SH45 SD59
161	B68	B69	C36	C37	110
chair with elec.recl.	mini chair raf	mini chair laf	rhf el.rec.mini chair	lhf el.rec.mini chair	1 right arm facing chair



L 96 H94 D98 SH45 SD59	L 96 H94 D98 SH45 SD59	L 96 H94 D98 SH45 SD59	L 106 H94 D98 SH45 SD59	L 106 H94 D98 SH45 SD59	L 106 H94 D98 SH45 SD59
120	173	174	114	124	612
1 left arm facing chair	elec.rec.chair 1arm raf	elec.rec.chair 1arm laf	rhf maxi chair	lhf maxi chair	1raf maxi chair rec.el



L 106 H94 D98 SH45 SD59	L 64 H94 D98 SH45 SD59	L 64 H94 D98 SH45 SD59	L 74 H94 D98 SH45 SD59	L 74 H94 D98 SH45 SD59	L 84 H94 D98 SH45 SD59
613	D62	106	130	E95	144
1laf maxi chair rec.el	small chair no arm	armless mini chair elec.rec.	chair without armr.	elec.recl.armless chair	maxi chair no arm

↓ fold following the dotted line ↓





↑ fold following the dotted line ↑


# oscar\_2.premium 1223\_2







L Length - H Height - D Depth - SH Seat Height - SD Seat Depth  
 Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions	L 84 H94 D98 SH45 SD59	L 148 H94 D98 SH45 SD59	L 150 H94 D98 SH45 SD59	L 150 H94 D98 SH45 SD59	L 170 H94 D98 SH45 SD59
version code	182	243	210	220	251
Description	el.rec.arml.maxi chair	2 1/2 seater with no armrests	1right arm facing 2 str	1left arm facing 2 str	1 right arm fac.2 1/2 str



L 170 H94 D98 SH45 SD59	L 190 H94 D98 SH45 SD59	L 190 H94 D98 SH45 SD59	L 96 H94 D158 SH45 SD119	L 96 H94 D158 SH45 SD119	L 101 H94 D101 SH45 SD59
252	310	320	410	420	040
1 left arm fac. 2 1/2 str	1right arm facing 3 str	1left arm facing 3 str	chaise lon.rhf arm fac	chaise lon.lhf arm fac	square corner



L 224 H94 D101 SH45 SD59	L 224 H94 D101 SH45 SD59	L 64 H32 D10 SH- SD-	L - H- D- SH- SD-	L - H- D- SH- SD-	L - H- D- SH- SD-
043	044	D07	V73	WA3	V72
sq.cor.chr.sq.mer.rig.fac.	sq.cor.chr.sq.mer.le fac.	headrest cushion	420 + 130 + 173	174 + 130 + 043	174 + 130 + 040 + 243 + 410

↓ fold following the dotted line ↓

