

## Model Code F2003

date of issue 02-11-10 revision 00  
revision of 18-12-23 (the present replaces any previous versions)



**Designer:** CSI

**Structure:** pinewood and multilayer covered with polyurethane foam. Outer frame in metal with shiny finish. Alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval.

**Spring system:** elastic webbing.

**Seat Padding:** ecologic polyurethane foam covered with 100% polyester layer.

**Back Padding:** ecologic polyurethane foam covered with 100% polyester layer.

**Arm Interior:** ecologic polyurethane foam insert supported by a metal frame.

**Removability:** not available.

**Please note:** multicovering available ONLY on version "\_a". Version 100 can be produced ONLY in one covering.

### Density of seat and back kg/cbm (±5%) <sup>(1)</sup>

Markets	Seat	Back
I	35 Medium	30
D - NL - CH	35 hard	30 hard
USA - California		
GB	35 fire retardant	25 fire retardant
Others	35 Medium	30

<sup>(1)</sup>Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

### Coverings

	suggested	not suggested	not possible
thick leathers		✓	
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split			✓
DeLuxe*			✓
multi colour**			✓
multi-category**			✓
multi covering**	✓		

Please note: for not removable models, only one colour fabric covers are available.

\* Deluxe, Fabrics and microfibers are not available for the U.K. - USA/CA - IE market.



### Feet



### Ottoman



We reserve the right to amend materials, covers and product dimensions shown on the data sheet, for production purposes and without prior notice. The line drawings, graphic information, dimensions, and volume provided are approximate and may vary due to the tolerances allowed in the production process with a view to improvements. The following maximum load values are recommended under normal use: armchairs max. 120 kg, 2-seater sofas max. 200 kg (2x100 kg), 3-seater sofas max. 240 kg (3x80 kg). Exceeding the recommended load may cause a structural failure of the sofa/armchair or its components.




↑ fold following the dotted line ↑

# sandy.cal 791



**L Length - H Height - D Depth - SH Seat Height - SD Seat Depth**  
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions	L 69 H83 D84 SH44 SD56	L 69 H83 D84 SH44 SD56
version code	100	803
Description	chair	chair_a

↓ fold following the dotted line ↓



Model Code F2003

date of issue 02-11-10  
 revision 00 of 18-12-23  
 (the present replaces any previous versions)

\*\*Multicover (combination of different materials)  YES  NO

\*\*Multicolor (different colors belonging to the same material)  YES  NO

1st cover  SPLIT  LEATHER  FABRIC  MICROFIBER

1st color  SPLIT  LEATHER  FABRIC  MICROFIBER

2nd cover  SPLIT  LEATHER  FABRIC  MICROFIBER

2nd color  SPLIT  LEATHER  FABRIC  MICROFIBER

3rd cover  SPLIT  LEATHER  FABRIC  MICROFIBER

3rd color  SPLIT  LEATHER  FABRIC  MICROFIBER

\*\*Multicategory (different categories belonging to the same material)  YES  NO

Multicovering available ONLY on version "\_a": 1st cov. in leather: upper and front side of the backrest, upper side of the seat cushion, armrest insert; 2nd cov. in fabric: lumbar support, backside and bottom side of the seat cushion. Version 100 can be produced ONLY in one covering.

